



Bearing Argentina



FYR 2.7/16 Bearing 2D drawings and 3D CAD models

SKF FYR 2.7/16 Flange Block Bearings

Bearing No. FYR 2.7/16

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.95
EAN	7316576664298
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	22213
Seals	Trigard
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 2-7/16" Bore; 6.8" Bolt Circle; 4.8" Bolt Spacing; 1 Piece Solid; Concentric Collar Mount; Cast Iron; Spherical Roller Bearing; 3-3/8" Length Thru Bore;
Other Features	Double Row Heavy Duty



Bearing Argentina

	Open End With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FYR 2.7/16
Weight / LBS	17.5
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	4.8 Inch 121.2 Millimeter
Nominal Bolt Circle Diameter Round	6.8 Inch 171.5 Millimeter
D	3.375 Inch 85.725 Millimeter
d	2.438 Inch 61.925 Millimeter
bore diameter:	2-7/16 in
locking device:	Set Screw
bolt center-to-center length:	6.7500 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	6-3/4 in
seal type:	Contact/Lip
overall length/diameter:	8.1250 in
overall depth:	3-1/2 in
flange mounting type:	Four-Bolt Round
radial dynamic load capacity:	33300 lb
bearing type:	Spherical Roller
radial static load capacity:	41100 lb
housing construction:	Solid Flange Mount
operating temperature	Maximum of +110 ° F ° F



Bearing Argentina

range:	
bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	222